

# Instructions for use

1) Substrates must be stable, clean, and free from dust, loose material, polish, grease, etc. Spray water onto porous surfaces (brickwork, plaster, concrete, etc.) to ensure full and even curing of the foam (do not spray nonporous substrates, e.g. painted woods, plastics). If necessary, protect areas with masking tape.

2) Store can for at least 12 hours at room temperature before using. Apply between +5°C and +35°C.

3) Shake can vigorously before use (15-20 times.) Screw on the applicator nozzle onto the valve.

4) Turn can upside down and dispense foam gently by lightly pressing the trigger. Release trigger to stop flow. Fill gap by  $\frac{1}{2}$  to  $\frac{3}{4}$  of size because the foam will expand. Work upwards to fill deep cavities in layers. Apply light water spray to increase curing speed. Preferably keep can upside down and shake regularly whilst applying foam.

## **Danger. Extremely flammable aerosol. Pressurised container:**

May burst if heated. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. May cause harm to breast-fed children. May cause damage to organs through prolonged or repeated exposure. May cause long lasting harmful effects to aquatic life. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe mist/vapours. Avoid contact during pregnancy and while nursing. Use only outdoors or in a well-ventilated area. Wear protective gloves/eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with national regulation.