


**DO NOT PRINT THIS PAGE -  
IT IS FOR INFORMATION ONLY**




Artwork done by Impala Services Ltd  
Info@impala-tach.com



SEPARATIONS	JOB INFO				
 <b>PROCESS BLACK</b>	<b>KNG #:</b> KNG-1367-0002 <b>Agency Job #:</b> PRJ25810 <b>Product Description:</b> 2 in 1 Close Coupled Toilet		<b>Brand:</b> – <b>Brand Contact:</b> Tiffany Carly <b>Barcode:</b> 5059340159713 <b>Vendor:</b> Huida <b>No. of New Line Drawings:</b> 0 <b>Page Size:</b> A5 / <b>No. of Pages:</b>		
<b>VERSION #</b>					
<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <b>1</b> 25/07/22 Mohit                             </div> <div style="text-align: center;"> <b>2</b> 29/07/22 Mohit                             </div> <div style="text-align: center;"> <b>3</b> 03/08/22 Mohit                             </div> <div style="text-align: center;"> <b>4</b> XX/XX/21 XXX                             </div> <div style="text-align: center;"> <b>5</b> XX/XX/21 XXX                             </div> </div>					
<p>This file is the property of Kingfisher Group Plc. No copying, alteration or amendment ispermitted without written authorisation from the Kingfisher Brand Team.</p> <p>翠丰集团不会以专色(PMS)作参考, 请参照已提供的印刷标准及Lab色彩数值生产以符合印刷品之标准。本文件的版权归翠丰集团所有。未经翠丰品牌团队的书面同意, 不得对本文件进行复制、变更或修改。</p>					

EN 2 in 1 Close  
Coupled Toilet



**EN IMPORTANT** - These instructions are for your safety. Please read through them thoroughly prior to handling the product and retain them for future reference.

**V10822\_5059340159713\_BX220IM**

**5059340159713**

# EN Parts



01. x1



02. x1



03. x1



04. x2  
(Ø6 x 65 mm)




05. x2



06. x2



07. x2



08. x2




09. x1




10. x2



11. x2




12. x2  
(Ø5 x 60 mm)



13. x2



14. x2



15. x2  
(Ø6 x 60 mm)



16. x2



17. x1



18. x1



19. x1



20. x1



21. x1



22. x1



23. x1



24.1. x1



24.2. x1



24.3. x1



24.4. x1



25.1. x1




25.2. x1



26. x1



27. x1



28. x1



29. x1



30. x1



31. x1



32. x1



33. x1



34. x1



35. x6



36. x2




37. x2



38. x2





39. x2



## EN You will need

---



## EN Contents

<b>EN</b>	
<b>Safety</b>	4
<b>Guarantee</b>	4
<b>Installation</b>	5
<b>Care &amp; maintenance</b>	17



### EN

#### Before you start

- Check to make sure you have all of the parts listed.
- When you are ready to start, make sure you have the right tools to hand, plenty of space and a dry area for assembly.
- Ensure that you shut off the mains water supply completely before proceeding with the installation.
- Ensure the mounting surface is sound, clean, dry and level before this toilet is installed.
- If you are in any doubt about installing this product, consult a technically competent installer.

**⚠ ATTENTION:** This basin does not have an overflow, only fit the non closable waste outlet supplied.

- **TURN OFF WATER MAINS SUPPLY.** The mains stopcock is usually situated where the supply enters the building.
- Operating Pressure: Minimum 0.5 Bar - Maximum 5 Bar.

#### Safety

- For domestic use only.

**⚠ CAUTION: DO NOT** overtighten the fixings otherwise it may damage the product.

**⚠ CAUTION:** Fragile - handle the product with care. This product may cause personal injury, property damage or break easily if not handled, positioned and installed with care.

**⚠ CAUTION:** Always ensure the product is securely installed before use.

- When the installation is complete, turn the water supply on and check for leaks around the toilet, cistern, inlet and waste connection points.
- Failure to follow these instructions may result in personal injury, damage to the product and property damage.
- Do not strike the basin with hard or pointed items.

#### Guarantee

We take special care to select high quality materials and use manufacturing techniques that allow us to create products incorporating design and durability. This product has a manufacturer's guarantee of 10 years against manufacturing defects, from the date of purchase (if bought in store) or date of delivery (if bought online), at no additional

cost for normal (non-professional or commercial) household use.

To make a claim under this guarantee, you must present your proof of purchase (such as a sales receipt, purchase invoice or other evidence admissible under applicable law), please keep your proof of purchase in a safe place. For this guarantee to apply, the product you purchased must be new, it will not apply to second hand or display products. Unless stated otherwise by applicable law, any replacement product issued under this guarantee will only be guaranteed until expiry of the original period guarantee period.

This guarantee covers product failures and malfunctions provided the product was used for the purpose for which it is intended and subject to installation, cleaning, care and maintenance in accordance with the information contained in these terms and conditions, in the user manual and standard practice, provided that standard practice does not conflict with the user manual.

This guarantee does not cover defects and damage caused by normal wear and tear or damage that could be the result of improper use, faulty installation or assembly, neglect, accident, misuse, or modification of the product. Unless stated otherwise by applicable law, this guarantee will not cover, in any case, ancillary costs (shipping, movement, costs of uninstalling and reinstalling, labour etc), or direct and indirect damage.


If the product is defective, we will replace or refund, within a reasonable time.

Rights under this guarantee are enforceable in the country in which you purchased this product. Guarantee related queries should be addressed to the store you purchased this product from.


The guarantee is in addition to and does not affect your statutory rights.

## IMPORTANT - RETAIN THIS INFORMATION FOR FUTURE REFERENCE: READ CAREFULLY

# 01



# 02



# 03



34. x1



35. x6



36. x2




37. x2



38. x2



39. x2



# 04



03. x1



19. x1



20. x1




21. x1



22. x1



23. x1



# 05



24.1. x1




24.2. x1



24.3. x1



24.4. x1




# 06



17. x1



18. x1





# 07

25.1. x1



25.2. x1

27. x1



# 08



26. x1



# 09




# 10



# 11

---



---

# 12

---




10

# 13




14. x2



15. x2




16. x2




# 14




09. x1




# 15




# 16




# 17



# 18




# 19




# 20




05. x2



# 21




# 22




# 23

---



# 24

---



16

## EN Care and Maintenance

---

- Use warm soapy water and a soft damp cloth to clean the surface of the product. Wipe dry with a clean cloth.
- To facilitate cleaning of the product, the toilet seat and cover may be removed before cleaning.
- Never use any solvents, scourers, abrasives, bleach, acids, strong detergents, aggressive chemical cleaners or solvent-type cleaning solutions on the product.
- **WARNING:** Do not use cistern cleaners containing chlorine (calcium hypochlorite). These can seriously damage fittings in the cistern tank. Such cleaners can damage the fittings and potentially cause leaks.
- Do not forcefully open or close the toilet seat and cover. This may cause injury or damage to the product.
- Avoid the sudden introduction of hot water to a cold toilet. This may damage the toilet.
- Never stand on the toilet rim, seat or cover. Standing on the toilet, seat or cover may result in serious product damage and personal injury.
- Lit cigarettes should not be placed on the seat or cover.
- Do not drop any hard objects on the toilet, seat or cover. Damage may result with cracks and leaks.
- If the toilet or seat is damaged and cracked discontinue use immediately and replace the unit. Failure to do so may result in serious injury or property damage.
- Before replacing the toilet seat measure the distance between the fixing holes on the toilet to ensure a suitable replacement can be identified before purchase.
- It is recommended to check the toilet seat fittings for security and tightness at regular intervals.
- To prevent the overflow of water from the sink, set the water pressure of the water inlet valve between 1-2 bar.
- Please adjust the input water pressure for tap and flushing system in order to have the optimum performance.

---

**Manufacturer:****UK Manufacturer:**

Kingfisher International Products Limited,  
3 Sheldon Square, London, W2 6PX  
United Kingdom

**EU Manufacturer:**

Kingfisher International Products B.V.  
Rapenburgerstraat 175E  
1011 VM Amsterdam  
The Netherlands  
[www.kingfisher.com/products](http://www.kingfisher.com/products)

EN [www.diy.com](http://www.diy.com)

[www.screwfix.com](http://www.screwfix.com)

[www.screwfix.ie](http://www.screwfix.ie)

**To view instruction manuals online,  
visit [www.kingfisher.com/products](http://www.kingfisher.com/products)**