## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: Poole   |                          |                           |  |                           |  |  |
|--|--------------------------|---------------------------|--|---------------------------|--|--|
| Supplier's address: -  |                          |                           |  |                           |  |  |
| Model identifier: 106249   |                          |                           |  |                           |  |  |
| Type of light source:  |                          |                           |  |                           |  |  |
| Lighting techno  | logy used:               | LED                       | Non-directional or directional:  | NDLS                      |  |  |
| Light source cap-type  |                          | SMD                       |  |                           |  |  |
| (or other electri  | ic interface)            |                           |  |                           |  |  |
| Mains or non-mains:  |                          | NMLS                      | Connected light source (CLS):  | No                        |  |  |
| Colour-tuneable light source:  |                          | No                        | Envelope:  | -                         |  |  |
| High luminance light source:   |                          | No                        |  |                           |  |  |
| Anti-glare shield:   |                          | No                        | Dimmable:  | Yes                       |  |  |
| Product parameters   |                          |                           |  |                           |  |  |
| Parameter  |                          | Value                     | Parameter  | Value                     |  |  |
| General product parameters:  |                          |                           |  |                           |  |  |
| Energy consumption in on-<br>mode (kWh/1000 h), rounded<br>up to the nearest integer   |                          | 22                        | Energy efficiency class  | F                         |  |  |
| Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) |                          | 2 250 in<br>Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 4 000                     |  |  |
| On-mode power (P <sub>on</sub> ), expressed in W   |                          | 22,0                      | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | -                         |  |  |
| Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal                                |                          | -                         | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 80                        |  |  |
| Outer dimensions without separate control gear, lighting control   | Height<br>Width<br>Depth |                           | Spectral power distribution in the range 250 nm to 800 nm, at full-load  | See image<br>in last page |  |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |   |                                    |   |  |  |  |
|--|---|------------------------------------|---|--|--|--|
| Claim of equivalent power <sup>(a)</sup>                                   | - | If yes, equivalent power (W)       | - |  |  |  |
|  |   | Chromaticity coordinates (x and y) | - |  |  |  |
| Parameters for LED and OLED light sources:                                 |   |                                    |   |  |  |  |
| R9 colour rendering index value  | - | Survival factor                    | - |  |  |  |
| the lumen maintenance factor   | - |                                    |   |  |  |  |

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;